



测试报告

编号.: XMHL1701000368CW

日期:2017年1月24日

页码:第1页,共3页

慧心(厦门)科技有限公司

厦门市思明区台东路68号11层11单元

下列样品由客户提供及确认:

产品名称 : 储奶袋
SGS 参考编号 : CANHG1701381301
客户参考信息 : 品牌: Angelcare
型号/货号 : AC550561
供应商 : 慧心(厦门)科技有限公司
测试要求 : 根据客户要求选择测试
收样日期 : 2017年1月22日
测试周期 : 2017年1月22日至2017年1月24日
测试结果 : 请见下页

通标标准技术服务有限公司厦门分公司

授权签名

夏星

授权签字人



SGS-CSTC Standards Technical Services Co., Ltd.
Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgs.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

测试结果 :

测试样品描述 :

样品编号	SGS 样品 ID	描述	材质 (客户提供)
SN1	CAN17-013813.001	带蓝色印字的透明袋子	PE+PET

FDA 21 CFR 177.1630—氯仿提取物

测试方法 : 参考 US FDA 21 CFR 177.1630。

常用模拟液	时间	温度	最大允许限值	样品 001	评论
蒸馏水	24.0hr (s)	120°F	0.5mg/sq. in	<0.1mg/inch ²	符合
正庚烷	24.0hr (s)	120°F	0.5mg/sq. in	<0.1mg/inch ²	符合
8% 乙醇	24.0hr (s)	120°F	0.5mg/sq. in	<0.1mg/inch ²	符合

备注 :

mg/inch²=毫克/平方英寸

FDA 21 CFR 177.1520—正己烷中最大可萃取物含量

测试方法 : 参考 US FDA 21 CFR 177.1520 d(3) (ii)。

常用模拟液	时间	温度	最大允许限值	样品 001	评论
正己烷	2hr (s)	50°C	5.5%(w/w)	<0.5%(w/w)	符合

备注 :

%w/w = 质量百分比

FDA 21 CFR 177.1520—二甲苯中最大可溶物含量

测试方法 : 参考 US FDA 21 CFR 177.1520 d(4) (ii)。

常用模拟液	时间	温度	最大允许限值	样品 001	评论
二甲苯	2hr (s)	25°C	11.3%(w/w)	3.7%(w/w)	符合

备注 :

%w/w = 质量百分比



SGS-CSTC Standards Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgs.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

FDA 21 CFR 177.1520—密度 (23°C)

测试方法 : 参考 US FDA 21 CFR 177.1520 d(1)。

测试项目	限值	001
密度 (23°C) , g/cm ³	0.850 - 1.000	1.005#

备注 :

1. FDA 测试针对塑料的原材料, 应客户要求使用成品样品 (包含塑料原料和生产过程中加入的添加剂) 测试。建议物理参数项目使用塑料原材料测试。
2. # = 超出限值

备注:

1. 此测试分包到 SGS 其他具资格实验室进行。
2. 限值=参考限值, 样品不在标准的管控范围内。
3. 本报告中的测试结果和照片引用自报告 CANHG1700527901.

样品照片:



CAN17-013813.001

测试报告仅对来样负责

报告结束



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgs.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com